

TERRACEMAX



45W/120W/200W/300W/600W/900W

LOW VOLTAGE LANDSCAPE TRANSFORMERS

Convert high voltage to safety low voltage for your landscape lighting

Add. : 516 Renhe Avenue, Yuhang District, Hangzhou, China

E-mail : info@terracemax.com

Tel : +86 13023653136

Terracemax.com

ABOUT US

Sunscene (HZ) Tech Co., Ltd. is an enterprise dedicated to becoming a global leader in the outdoor home furnishings industry.

Over the past decade, we have achieved remarkable success in outdoor lighting and outdoor decorations. We are now expanding our business scope into outdoor furniture to enhance our integrated outdoor living solutions and reinforce our commitment to innovation, quality, and sustainable design worldwide.

Operational Scale & Capabilities

We operate two specialized production bases with over 200 skilled employees.

Our vertically integrated manufacturing facilities include dedicated aluminum die-casting and injection molding workshops, paired with QC center and an in-house R&D department.

This infrastructure enables us to maintain strict control every production stage, from design to delivery.

Terracemax (our dedicated outdoor brand) focused on three core categories:

Landscape Lighting, Solar Decorative Lights, and Outdoor Furniture.

Development Milestones

- 2007: Our manufacturing base became a production partner for the leading North American brand MALIBU, the core OEM supplier of low-voltage lighting to The Home Depot, the largest home improvement and DIY retail chain in North America.
- 2015: We expanded from low-voltage lighting into solar lighting, entered Costco's supply chain via importers. Importantly, since 2020, we have also been a key supplier to major Amazon sellers.
- 2019: We further extended our expertise to enter the outdoor furniture industry, providing comprehensive outdoor living space solutions for customers.

Leveraging our group's long-standing expertise in R&D and manufacturing, Sunscene Tech is committed to continuous innovation and stringent quality control.

Our brand aims to deliver durable, aesthetically refined and sustainable outdoor products for the global market—helping create elevated outdoor living experiences worldwide.

We firmly believe that competitive pricing, reliable quality, on-time delivery, and comprehensive service are the pillars of our vision:

Terrace Max Your Moment.



LOW VOLTAGE BRASS LAMP

LED



LVAP101B



LVAS101B



LVAH101B

LOW VOLTAGE PATH LAMP

LED



LVAP001



LVAP002



LVAP003



LVAP004



LVAP005



LVAP006



LVAP007



LVAP008




LVAP009



LVAP010



LVAP011



LVAP012



LVAP013



LVAP014



LVAP015



LVAP016



LVAP017



LVAP018



LVAP019



LVAP020



LVAP021



LVAP022



LVAP023



LVAP001RGBW

LOW
VOLTAGE
HANGING LAMP

LED



LVAH001

LOW
VOLTAGE
SPOT LAMP

LED



LVAS001



LVAS002



LVAS003



LVAS004



LVAS005



LVAS006



LVAS007



LVAS002RGBW



LVAS008RGBW



LVAS009



LVAS010



LVAS011



LVAS012

LOW
VOLTAGE
POST LAMP

LED



LVA001

LOW-VOLTAGE
LAMP
SOLAR





12V AC Low Voltage

100 LUMENS

1.2 W A T T



SHARP

LVAP101B
12V AC
IP44
LED 1.2W
100 Lumen
Brass



All **BRASS** Construction





12V AC LOW VOLTAGE

400 LUMENS

5 W A T T



BEAN

LVAS1001B

12VAC
LED 5W
400 Lumen
Brass

400 Lumens
Lamp Brightness

2700 K
Color Temperature

5 Watt Led
Wattage



BRASS CONSTRUCTION



RING

400 LUMENS
5 W A T T




400 Lumens
Lamp Brightness

2700K
Color Temperature

5 Watt Led
Wattage

LVAH101B
12V AC
LED 5W
400 Lumen
Brass & Metal

G15466




12V AC Low Voltage

LILY



40 LUMENS

1.2WATT



LVAP001

12AC
 LED 1.2W
 40 Lumen
 Die Cast Aluminium



CLOUD


180 LUMENS

3 W A T T



LVAP002


12AC
 LED 3W
 180 Lumen
 Aluminum & Metal



MAN

120 LUMENS

1.5 WATT




LVAP003

12V ACI

LED 10W


1600 Lumen

Aluminum & Plastic



10 Feet

Beam Range



3000 K

Color Temperature

1.5 Watt Led

Wattage

120 Lumens

Lamp Brightness

SWORD

150 LUMENS

3 W A T T S



LVAP004

12V AC
LED 3W
150 Lumen
Aluminum

150 Lumens
Lamp Brightness

3000K
Color Temperature

3 Watt Led
Wattage



15 Feet


BEAM RANGE



BRONZE FINISH

5.3 inch

15.7 inch




FISHER

100 LUMENS

2 WATT




12V AC LOW VOLTAGE



LVAP005
 12V AC
 LED 2W
 100 Lumen
 Aluminum

Working Voltage: 12V AC
 Connect with existing system

(The Low voltage wire and transformer are not included.)




ALL METAL CONSTRUCTION



COCO



120 LUMENS

1.5 WATT



LVAP006

12V AC
LED 1.5W
120 Lumen
Aluminum



TAI


60 LUMENS

1 W A T T



LVAP07


12V AC
LED 1W
60 Lumen
Die Cast Aluminium



60 Lumens
Lamp Brightness


3000K
Color Temperature

1 Watt Led
Wattage




TANG

80 LUMENS
4 W A T T



LVAP08

12V AC
LED 4W
80 Lumen
Die Cast Aluminium



MARS

LVAP019

12V AC
LED 4W
32 Lumen
Die Cast Aluminium

32 LUMENS

4 W A T T



KING

180 LUMENS


3 W A T T S



12V AC LOW VOLTAGE

LVAP010

12V AC
LED 3W
180 Lumen
Die Cast Aluminium



BRONZE FINISH



180 Lumens
Lamp Brightness

3000K
Color Temperature


3 Watt Led
Wattage

180 LUMENS
3 W A T T

DUN



LVAP011
 12V AC
 LED 3W
 180 Lumen
 Die Cast Aluminium



30 LUMENS

2 . 2 W A T T S

RUSS



LVAP012
12V AC
LED 2.2W
30Lumen
Die Cast Aluminium



30 Lumens
Lamp Brightness

3100 K
Color Temperature

2.2 Watt Led
Wattage



ALL METAL CONSTRUCTION




6.1 inch

1.8 inch




GENE

100 LUMENS

0.7 WATT




LVAP013
12V AC
LED 0.7W
100 Lumen
Die Cast Aluminium





PONO

100 LUMENS

1.5 W A T T



LVAP014
 12V AC
 LED 1.5W
 100 Lumen
 Die Cast Aluminium






3000K
warm and soft light
Light Illumination Range



Replaceable 12V AC LED Bulbs



-  Cable Connections
-  Metal Spikes
-  Oil-Flashed Finish
-  12V AC Equiv

120 LUMENS

3 W A T T S



40 LUMENS

1 W A T T S



HERO

LVAP015/16
12V AC
LED 3W
120 Lumen
Die Cast Aluminium




APRIL

180 LUMENS

3 W A T T



LVAP017
 12V AC
 LED 3W
 180 Lumen
 Die Cast Aluminium





HAT

100 LUMENS

1.5 W A T T S




LVAP019
12V AC
LED 1.5W
100 Lumen
Die Cast Aluminium



BAMBOO

120 LUMENS

3 W A T T





LVAP020
12V AC
LED 3W
120 Lumen
Die Cast Aluminium



BROWN FINISH



12V AC LOW VOLTAGE



Working Voltage: 12V AC
Connect with existing system.
(The low voltage wire and transformer are not included.)



12V AC LOW VOLTAGE


100 LUMENS
2 W A T T



100 LUMENS
2 W A T T



LVAP021/22
12V AC
LED 2W
100 Lumen
Die Cast Aluminium+Glass



PEAK

60 LUMENS
3 W A T T



LVAP023
12V AC
LED 3W
60 Lumen
Die Cast Aluminium+Glass



ALL METAL CONSTRUCTION

12V AC LOW VOLTAGE



Sync to Music Rhythms

The lights can sync with music rhythms ste by the App, making them perfect for holidays and parties.



RGBW COLOR

2 W A T T



LILY

LVAP001RGBW
12V AC
LED RGBW
Die Cast Aluminium

Smart APP Control


Control your Pathway Lights Anytime and Anywhere



Brightness Adjustment
To control the brightness of the light


RGBW
Color Temperature

2 Watt LED
Wattage




4.72 IN

15.75 IN



12V AC LOW VOLTAGE




32 LUMENS
1.1 W A T T S



RADY

LVAH001
12V AC
LED 1.1W
32 Lumen
Die Cast Aluminium+Glass

32 Lumens
Lamp Brightness
2900k
Color Temperature
1.1 Watt Led
Wattage





BEET

48 LUMENS

3 W A T T S



LVAS001
12V AC
LED 3W
48 Lumen
Die Cast Aluminium+Glass





MEAD

200 LUMENS
3 W M R 1 1 L E D



LVAS002
12V AC
LED 3W
200 Lumen
Die Cast Aluminium+Glass




SOUL

400 LUMENS

5 WATTS



LVAS003
12V AC
LED 5W
400 Lumen
Die Cast Aluminium+Glass



BONE

205 LUMENS

4.5W LED



205 Lumens
Lamp Brightness

3000 K
Color Temperature

4.5 Watt Led
Wattage

LVAS005
12V AC
LED 4.5W
205 Lumen
Die Cast Aluminium+Glass



BLACK FINISH




12V AC LOW VOLTAGE

WATCH

100 LUMENS
3 W A T T



LVAS006
12V AC
LED 3W
100 Lumen
Die Cast Aluminium+Glass






WALL

200 LUMENS
3 W A T T




LVAS007
12V AC
LED 3W
200 Lumen
Die Cast Aluminium+Glass



MEAD

LVAS002RGBW
12V AC

Die Cast Aluminium+Glass




GLORY

650 LUMENS RGBW LANDSCAPE LIGHTS

1 2 W A T T



LVAS008RGBW
12V AC
650LM
Die Cast Aluminium+Glass



12V-15V AC LOW VOLTAGE



BLACK FINISH

LONGDON

1000 LUMENS
1 8 W A T T



LVAS009
12V AC
LED 18W
1000 Lumen
Die Cast Aluminium+Glass



15 Feet
BEAM RANGE



1000 Lumens
Lamp Brightness
2700 K
Color Temperature
18 Watt Led
Wattage



BROWN FINISH



HAB

200 LUMENS

4 WATTS



LVAS010
 12V AC
 LED 4W
 200 Lumen
 Die Cast Aluminium+Glass



12V AC LOW VOLTAGE



USHI

580 LUMENS

6 WATT



LVAS011
 12V AC
 LED 6W
 580 Lumen
 Die Cast Aluminium+Glass





BEE

135 LUMENS

5.4 WATT

LVAS012
12V AC
LED 5.4W
135 Lumen
Die Cast Aluminium+Glass



BIRCH

LVAP001
12V AC
LED 5.4W
135 Lumen
Die Cast Aluminium+Glass

150 LUMENS
3 W A T T



2 SIZES FOR YOUR CHOICES



4X4 BASE

3.7 IN



3.7 IN




6X6 BASE

5.7 IN



5.7 IN




ALL METAL CONSTRUCTION

BRAZIL

LVA002
12V AC
LED 3W
49 Lumen
Die Cast Aluminium

LVA003
12V AC
LED 6W
122 Lumen
Die Cast Aluminium

49 LUMENS
3 WATTS




49 Lumens
Lamp Brightness

3000 K
Color Temperature


3 Watt Led
Wattage

122 LUMENS
6 WATTS



10 Feet
BEAM RANGE

Installation method



TURN OFF POWER.



Place the cardboard template on the mounting surface and mark where the holes should be for the male plug and the self-threading screws.

Screw the self-threading screws through the two holes on the fixture to secure the fixture to the mounting.

Place the attached wire connector on opposite sides of the low voltage cable (not included) from the transformer (not included) where the fixture will be located.

Align and fit the main low voltage cable vertically to the slot of the wire connector.

BOUGH

10 LUMENS

1 . 2 W A T T S



LVA01
12V AC
LED 1.2W
10 Lumen
Die Cast Aluminium+Glass



BOX

LVAST004
12V AC
LED 3W
260 Lumen
Die Cast Aluminium+Glass

260 LUMENS

3 W A T T S





2700K

3000K

3500K


4000K

5000K



COSMOS


150 LUMENS
5 W A T T




OIL RUBBED BRONZE

LVA005/006
12V AC
LED 5W/6W
120/150 Lumen
Die Cast Aluminium+Glass

120 LUMENS
6 W A T T



120 Lumens
Lamp Brightness
3000K
Color Temperature
6 Watt Led
Wattage



Connect fixture wires to main low voltage supply cable using the connector provided.

Can be directly connected to low-voltage wires

10 (3 m)

Low Voltage Accessories



6 PACK
CONNECTOR & SPLITTER



61" LENGTH -PHOTO SENSOR
FOR LOW VOLTAGE TRANSFORMER



2 PACK (7.13IN)
Metal Stake



- Approved for direct burial
- UV Resistant
- Weatherproof
- Flame Resistant



45WATT
Low Voltage Transformer



120WATT
Low Voltage Transformer



200WATT
Low Voltage Transformer



300WATT
Low Voltage Transformer




600WATT
Low Voltage Transformer




900WATT
Low Voltage Transformer

EASY TO INSTALLATION



PLACE FIXTURES AND ROUTE CABLE



6 Modes

- 1 Turn on and turn off at the set time.
- 2 Turn on at dusk, Turn off at the set time.
- 3 Turn on at dusk, Turn off 4/6/8/10 hours later.
- 4 Turn on at dusk, Turn off at dawn.
- 5 Photo cell test, no delay.
- 6 ON - Transformer is on all the time, OFF - Transformer is off.



Transformer

120V to 12V AC

- LVT4501
- LVT12001
- LVT20001
- LVT30001
- LVT60001
- LVT90001



COMPATIBLE WITH ALL LOW VOLTAGE LIGHTS



Transformer 120V to 12V AC

LVT30002
LVT30003



300WATT
low Voltage Transformer






300WATT
low Voltage Transformer



Battery Light

BBT002T
BBT003T
BBT004T



Small cordless table lamp
easy to carry
a good choice for your camping


Solar Decorative Light

SLD0001
Solar Panel 1.2W
50 Lumen
Metal+Plastic
54x35x140cm



Solar Decorative Light

SLD0002
Solar Panel 1.2W
50 Lumen
Metal+Plastic
70x35x170cm




Solar Decorative Light

SLD0003
Solar Panel 0.8W
30 Lumen
Metal+Plastic




Solar Decorative Light

SLD0004
Solar Panel 1.2W
50 Lumen
Metal+Plastic



DIMENSION



Solar Decorative Light

SLD0005
Solar Panel 0.8W
30 Lumen
Metal+Plastic



Solar Decorative Light

SLD0006
Solar Panel 1W
30 Lumen
Metal+Plastic



Solar Decorative Table Light

SLD0007
Solar Panel 0.8W
30 Lumen
Metal+Plastic



Solar Decorative Table Light

SLD0008
Solar Panel 1W
30 Lumen
Metal+Plastic



DIMENSION





PRODUCT DIMENSIONS



Solar Wall Light

SLD0009
Solar Panel 0.3W
10 Lumen
Plastic



Solar Wall Light

SLD00010
Solar Panel 0.1W
10 Lumen
Metal+Plastic




Solar Wall Light

SLD00011
Solar Panel 4W
180/30Lumen
Plastic




Solar Wall Light

SLD00012
Solar Panel 4W
180/30 Lumen
Plastic




Solar Post Light

SLD00013
Solar Panel 4W
10Lumen
Plastic




IP65 WATERPROOF




SLD00014
Solar Panel 0.4W
15 Lumen
Plastic

More Choice



Solar Wallt Light


SLD00013
Solar Panel 04W
15Lumen
Iron+Glass+Plastic




Solar Wallt Light

SLD00016
Solar Panel 0.7W
30 Lumen
Plastic






CLASS III
IP 44
LED 1.5W
150 Lumen
Plastic



Solar Spot Light

SLD00013
Solar Panel 04W
15Lumen
Iron+Glass+Plastic



A photograph of a modern, two-story house with a large, light-colored concrete patio. The house has white vertical siding and a dark roof. A large window and a glass door are visible, with warm interior lighting. On the patio, there is a grey outdoor sofa, a matching armchair, a coffee table, and a grey outdoor heater. A black outdoor lamp stands on the left side of the patio. The background shows a scenic view of rolling hills and trees under a clear sky.

TERRACEMAX